



CABLE TRAYS JUPITER

✓ RELIABLE ✓ QUALITY ✓ COMPLETE



complete offer

www.kopos.com




KOPOS KOLÍN a.s.



KOPOS KOLÍN a.s.




koposkolin




SIDE HEIGHT 35 mm

	A (mm)	H (mm)	↓	O
KZI 35X50X0.55	50	35	0.55	S
KZI 35X50X0.75	50	35	0.75	F
KZI 35X100X0.55	100	35	0.55	S
KZI 35X150X0.75	150	35	0.75	S
KZI 35X200X0.75	200	35	0.75	S
KZI 35X300X0.75	300	35	0.75	S



SIDE HEIGHT 60 mm

	A (mm)	H (mm)	↓	O
KZIN 60X50X0.55	50	60	0.55	S
🔥 KZIN 60X50X0.75	50	60	0.75	S, ZM, F
🔥 KZIN 60X75X0.75	75	60	0.75	S
KZIN 60X100X0.60	100	60	0.60	S
🔥 KZIN 60X100X0.75	100	60	0.75	S, ZM, F
🔥 KZIN 60X150X0.75	150	60	0.75	S, F
KZIN 60X200X0.60	200	60	0.60	S
🔥 KZIN 60X200X0.75	200	60	0.75	S, ZM, F
🔥 KZIN 60X300X0.75	300	60	0.75	S, ZM
KZIN 60X400X1.00	400	60	1.00	S, ZM
KZIN 60X500X1.00	500	60	1.00	ZM
KZIN 60X500X1.25	500	60	1.25	S




SIDE HEIGHT 85 mm

	A (mm)	H (mm)	↓	O
KZI 85X100X0.75	100	85	0.75	S, F
KZI 85X150X0.75	150	85	0.75	S
KZI 85X200X0.75	200	85	0.75	S
KZI 85X300X1.00	300	85	1.00	S
KZI 85X400X1.00	400	85	1.00	S

JUPITER

The cable trays are made of galvanized sheet metal using the Sendzimir method and are 3 m long. NSM 6X10 screws or KSV clamps are used to connect cable trays with integrated couplings. The complete range of cable tray JUPITER accessories includes elbows 90°, horizontal branches, T-pieces, cross-overs, rising elbows 90°, and low elbows 90°. We offer covers for all parts.



SIDE HEIGHT 60 mm

	A (mm)	H (mm)	↑	○
KZI 60X50X0.55	50	60	0.55	S
🔥 KZI 60X50X0.75	50	60	0.75	S, ZM, F
🔥 KZI 60X50X1.00	50	60	1.00	S, F
🔥 KZI 60X50X1.25	50	60	1.25	S, F
🔥 KZI 60X75X0.75	75	60	0.75	S
🔥 KZI 60X75X1.00	75	60	1.00	S
🔥 KZI 60X100X0.60	100	60	0.60	S
🔥 KZI 60X100X0.75	100	60	0.75	S, ZM, F
🔥 KZI 60X100X1.00	100	60	1.00	S, F
🔥 KZI 60X100X1.25	100	60	1.25	S, F
🔥 KZI 60X150X0.75	150	60	0.75	S, F
🔥 KZI 60X150X1.00	150	60	1.00	S
🔥 KZI 60X150X1.25	150	60	1.25	S, F
🔥 KZI 60X200X0.60	200	60	0.60	S
🔥 KZI 60X200X0.75	200	60	0.75	S, ZM, F
🔥 KZI 60X200X1.00	200	60	1.00	S, F
🔥 KZI 60X200X1.25	200	60	1.25	S, F
🔥 KZI 60X300X0.75	300	60	0.75	S, ZM, F
🔥 KZI 60X300X1.00	300	60	1.00	S, F
🔥 KZI 60X300X1.25	300	60	1.25	S, F
🔥 KZI 60X400X1.00	400	60	1.00	S, ZM, F
🔥 KZI 60X400X1.25	400	60	1.25	S
🔥 KZI 60X500X1.00	500	60	1.00	S, ZM
🔥 KZI 60X600X1.00	600	60	1.00	S

↑ - Thickness of metal sheet


○ - Surface finish

🔥 - E30 - E90

S - Sendzimir galvanizing - suitable for indoor use

ZM - Magnelis® - suitable for indoor and outdoor environments, with requirements for higher corrosion resistance

F - hot-dip galvanizing - suitable for outdoor environments with higher corrosion resistance requirements



SIDE HEIGHT 110 mm

	A (mm)	H (mm)	↕	○
KZI 110X150X0.75	150	110	0.75	S
KZI 110X150X1.00	150	110	1.00	S, F
KZI 110X150X1.25	150	110	1.25	S
KZI 110X200X0.75	200	110	0.75	S, ZM
KZI 110X200X1.00	200	110	1.00	S, F
KZI 110X200X1.25	200	110	1.25	S
KZI 110X300X1.00	300	110	1.00	S, ZM, F
KZI 110X300X1.25	300	110	1.25	S
KZI 110X400X1.00	400	110	1.00	S, ZM, F
KZI 110X400X1.25	400	110	1.25	S
KZI 110X500X1.00	500	110	1.00	ZM
KZI 110X500X1.25	500	110	1.25	S, F
KZI 110X600X1.25	600	110	1.25	S, F
KZ 110X200X1.50_S6	200	110	1.50	S
KZ 110X300X1.50_S6	300	110	1.50	S

length of cable tray 6 m

COMPLETE ACCESSORIES

mounting and supporting elements, connecting and fastening materials

