

CABLE LADDERS

✓ stable

✓ high quality

✓ reliable



complete offer

www.kopos.com



KOPOS KOLÍN a.s.




KOPOS KOLÍN a.s.



koposkolin


CABLE TRAYS

The cable trays are made of galvanized sheet metal using the Sendzimir method and are 3 m long. The distance between the crossbars is 300 mm. S hX200 connectors are used to connect the cable trays, where „h“ is the height of the side rail, and NSM 6X10 screws. Shaped parts, accessories, and covers are available for all cable trays.




SIDE HEIGHT 60 mm

	A (mm)	H (mm)	↕	○
🔥 KL 60X150	150	60	1,5	S, F
🔥 KL 60X200	200	60	1,5	S, ZM, F
🔥 KL 60X300	300	60	1,5	S, ZM, F
🔥 KL 60X400	400	60	1,5	S, ZM, F
🔥 KL 60X500	500	60	1,5	S, ZM, F
🔥 KL 60X600	600	60	1,5	S, ZM, F



SIDE HEIGHT 85 mm

	A (mm)	H (mm)	↕	○
KL 85X150	150	85	1,5	S, F
KL 85X200	200	85	1,5	S, F
KL 85X300	300	85	1,5	S, F
KL 85X400	400	85	1,5	S, F
KL 85X500	500	85	1,5	S, F
KL 85X600	600	85	1,5	S, F




SIDE HEIGHT 110 mm

	A (mm)	H (mm)	↑	○
🔥 KL 110X150	150	110	1,5	S, F
🔥 KL 110X200	200	110	1,5	S, ZM, F
🔥 KL 110X300	300	110	1,5	S, ZM, F
🔥 KL 110X400	400	110	1,5	S, ZM, F
🔥 KL 110X500	500	110	1,5	S, ZM, F
🔥 KL 110X600	600	110	1,5	S, ZM, F

COMPLETE ACCESSORIES

mounting and supporting elements, connecting
and fastening materials



↑ - Thickness of metal sheet

○ - Surface finish


🔥 - E30 - E90

S - Sendzimir galvanizing - suitable for indoor use


ZM - Magnelis® - suitable for indoor and outdoor environments, with requirements for higher corrosion resistance

F - hot-dip galvanizing - suitable for outdoor environments with higher corrosion resistance requirements

OTHER CABLE SUPPORT SYSTEMS



JUPITER



MARS



GEMINI

KOPOS ONLINE

WWW.KOPOS.COM

FACEBOOK | INSTAGRAM | YOUTUBE

