



KOPOS

NEWS

2020 - 2022




NEWS

2020 - 2022

KP 68/D_KA

- New design of junction box with soft membrane inlets
- perfect for low energy and passive houses
- more space for installation
- suitable for installation in combined frames with the pitch of 71mm




KPR 68/D_KA

- Deep instrument box with soft membrane inlets
- perfect for low energy and passive houses
- also for instruments with greater need for space
- suitable for installation into combined frames with the pitch of 71mm

KU 68-45_KA

- Multi-purpose box suitable for most of the classic instrument or clamping installations
- more space for installation
- suitable for installation in combined frames with the pitch of 71mm
- central column for screwless cover KO 68 connecting



KPR 68-70_KA

- Deep multi-purpose instrument box for instruments with greater need for space or larger clamping
- suitable for installation into combined frames with the pitch of 71mm

KU 68-45/HF_HA

- Multi-purpose halogen free box suitable for public houses with greater need for people and property protection
- more space for installation
- suitable for installation in combined frames with the pitch of 71mm



KPR 68-70/HF_HA

- Deep multi-purpose halogen free box suitable for public houses with greater need for people and property protection
- suitable for installation into combined frames with the pitch of 71mm



PK 170X65 D_HD

- another dimension of the new range PK x65
- two chambers for two purposes
- perforated inner wall
- also in HF version
PK 170X65 D HF_HD

PEKE 60 HF_HD



- HF partition wall for HF wall channels X65
- sold per 1 m length
- easy and quick installation



LK 80X28 T_FB

VLK 80/T_FA

- New design of the trunking box and the cover for black trunkings
- suitable for instruments Tango model series

BLACK TRUNKINGS



- selected types:
LHD 20X10_FD, LHD 20X20_FD,
LHD 40X20_FD, LHD 40X40_FD
and LH 60X40_FD
- including all accessories
- made of UV stable material

KEFZ 80_KB

KEFZ 80/VDZ_KB


- junction boxes for insulated facades
- 2 sets: both with a complete set for the box installation, one also with a tool for the installation
- suitable for installation into already finished facades with an insulation of 80 mm minimum
- perfect for polystyren or mineral wool insulation



MDFZ 80_KB

MDFZ 80/VDZ_KB

- mounting plate for insulated facades for small devices (cameras, sensors and smaller lights)
- 2 sets: both with a complete set for the plate installation, one also with a tool for the installation
- suitable for installation into already finished facades with an insulation of 80 mm minimum
- perfect for polystyren or mineral wool insulation



KSK 100_P04J

KSK 100_P06J

- soft membrane inlets ensure easy way for the cables while keeping IP 66 protection
- anchors to concrete, stainless steel screws, support columns, bar, ceramic clamps included in the package
- easy access to the clamp thanks to placing it on the column



KPZ-1_PO

- instrument box for fire rated partition walls with EI 15 to EI 120 certification
- ensures the integrity of the wall and thus prevent spreading the fire
- halogen free design
- soft membrane inlets

INOXKL

- cable trays made of stainless steel
- available in two sidewall heights - 60 and 110 mm
- perforated sidewalls and crossbars for easy installation
- offered with accessories to make a complete route



Follow us so you do not miss a thing!



KOPOS

NEWS
COMPLETE ASSORTMENT
CERTIFICATES
KNS CONFIGURATOR
SUPPORT



KOPOS KOLÍN a.s.

UPDATES
NEWS
FREE POSITIONS
TRAININGS



KOPOS KOLÍN a.s.

VIDEO INSTRUCTIONS
PRODUCT VIDEOS

www.kopos.com

VIDEO INSTRUCTIONS



KSK 100_P0xJ



KPZ-1_PO



KEFZ a MDFZ



PK X65

KOPOS KOLÍN a.s.

Havlíčková 432
280 02 Kolín

+420 321 730 111
kopos@kopos.cz